





WORK
#LikeABosch

Table of Contents

Introduction	5
Our product & services	6
Wood Working	7
Drills	9
Rotary hammer	10
Chipping/Demolition	11
Angle Grinder	11
Special Grinder	12
Bench top/ Miter Saw	14
Vacuum Cleaner	14
Pressure Washer	15
Cordless	15
Measuring & Detection	17
Supporting Accessories	18
Metal drill bits	19
Wood drill bits	20
Cylindrical drill bits	21
Drill bits	22
SDS Max drill bits	23
Chisels and Holesaws	24
Holesaws	25
Screwdriver bits	26
Diamond applications	27
Flexible abrasives	28
Bonded abrasives and sanding	29
Blades	30
Circular saw blades	31
Router bits	32
Others	34
Hand sanding sheets	34

NAS Tyre Services (NTS)

NAS Tyre Services is the leading importer and distributor of new tyres and batteries in Tanzania, associated with prominent brands like Goodride, Dunlop, BKT, Bridgestone, Willard, Puma, Delkor, and more since 1996.

It is also the largest retread establishment with three retread facilities operating in Dar es Salaam, Arusha and Mwanza. To cater to the end consumer, we established five State-of-the-Art fitment centers (@TheWheel) designed to provide one-stop solutions for products, brands and services.

The complete synergy of services intrigued our affiliation with Bosch leading to an expansion into other automotive avenues.

We started our Bosch range of businesses last year and are already established by now with a brand-new facility, offering an unparalleled one-stop location for everything your vehicle needs, including:

- A world-class multi-brand car workshop, authorized by Bosch GMBH,
- A sophisticated diesel workshop that offers all diesel services, and
- Genuine automotive parts for all brands and makes including European, Korean, American, and Japanese cars.

About Bosch Power Tools Business (NTS-Bosch)



NTS-Bosch is now a Bosch authorized distributor and specialist for Bosch power tools and all its accessories, as well as a Bosch authorized service and repair center.

We retail electric power tools, industrial power tools, household equipment and their accessories and offer unmatched reliability from experts at our repair and service center.

The power tools division of the Bosch group is the world market leader for power tools and power tool accessories. The core success factors are dedicated associates and a furious pace of innovation. Each year, Bosch launches more than 100 new power tools into the global market.

Scan here for directions



0800 110 161 www.nts-bosch.co.tz   @ntsbosch
21 Vingunguti Industrial Area, Nyerere Rd, Dar es Salaam

Our products and services

- Bosch power tools and its accessories
- Service and repairs of all power tools

Our values

- We care about our customers and their needs
- We act with integrity in all our undertakings
- Our team is extremely friendly and helpful
- We are enthusiastic about our products, service, and customers
- We are confident in our technical and mechanical skills
- We are always loyal to our customers and look forward to building long term business relationships

Our showroom & service center

We are delighted to inform you that our new power tools showroom & service center located at Kamata junction is now open and serving as a one-stop shopping junction for all power tools customers. It will include services like:

- Sale of tools, accessories, and parts
- Service/repair of damaged tools
- Demonstration of tools for hands-on experience for customer
- Storage house for bulk supply



Wood Working



Jigsaws

GST 650

06015A80L0

Power	450 W
Stroke rate	800 - 3100 spm
Cutting depth in wood	65 mm
Tool holder	Keyed
Scope of supply	Carton, Saw Blade Set



GST 700

06012A70P0

Power	500 W
Stroke rate at no load	1,450 - 3,200 spm
Saw, stroke length	20 mm
Weight	2.1 kg
Cutting depth (wood/aluminium/steel)	70/10/6 mm



GST 150 BCE

0601513070

Power	780 W
Stroke rate	500 - 3100 spm
Cutting depth	150 mm
Tool holder	Keyless
Scope of supply	Case, AC Set



Circular Saw

GKS 190

0601623071

Power	1400 W
No-load speed	5500 rpm
Blade Ø	190 x 30 mm
Cutting depth [45°/90°]	50/70 mm
Scope of supply	Carton, Circular Saw Blade 16 teeth Ø 184x16 mm



GKS 235

06015A20L0

Power	2500 W
No-load speed	5300 rpm
Volumetric flow rate	235 x 25 mm
Weight	65/85 mm
Scope of supply	GKS 235 baretool, Allen wrench, Saw Blade D235 mm x 2.5/1.8 x 25 mm, 60 Teeth, Mitre Fence, Instruction manual



Reciprocating Saw

GSA 120

06016B10L0

Power	1200 W
Stroke rate at no load	0 - 3,000 spm
Saw, stroke length	29 mm
Weight	3.7 kg
Cutting depth (steel/metal/wood)	20/220/220 mm



GSA 1300 PCE

060164E270

Power	1300 W
Stroke rate at no load	0 - 2,900 spm
Surface brush, Ø	28 mm
Weight	4.1 kg
Cutting depth (metal/wood)	20/230 mm



Planer

GHO 700

06015A90K1

Power	700 W
No-load speed	16500 rpm
Planing depth	0-2.6 mm
Planing width	82 mm
Scope of supply	Carton



GHO 26-82 D

06015A4370

Power	710 W
No-load speed	18000 rpm
Adjustable rebating depth	9 mm
Weight	2.8 kg
Planing (width/depth)	82 /2.6 mm



Palm Router

GKF 550

06016A00P0

Power	550 W
No-load speed	33000 rpm
Collet Ø	6 mm
Weight	1,4 kg
Scope of supply	Assembly Wrench, Template guide, Roller guide, Parallel guide, Straight base, Instruction manual



Router

GOF 130

06016B70P1

Power	1300 W
No-load speed	11000 - 28000 rpm
Collet Ø	6 / 8 mm
Plunge depth	55 mm
Scope of supply	GOF 130 Baretool, Union Nut, Parallel-Guide, Vacuum Adapter-PC, Template guide -O235, Assembly Wrench, Instruction manual



Orbit Sander

GSS 140

06012A80L0

Power	220 W
No-load speed	14000 rpm
Orbital stroke rate	28000 opm
Pad dimensions	101 x 112 mm
Scope of supply	Baretool, Sanding Sheet, Instruction manual



GSS 2300

06012980L0

Power	190 W
No-load speed	12,000 rpm
No-load orbital stroke rate	24,000 opm
Weight	1.5 kg
Sanding plate (length/height)	182/92 mm



GEX 125-1 AE

0601387571

Power	250 W
No-load speed	12000 rpm
Orbital stroke rate	15,000 - 24,000 opm
Weight	1.3 kg
Tool dimensions (length/height/width)	227/150/122 mm



GEX 40-150

060137B270

Power	400 W
No-load speed	12000 rpm
Orbital stroke rate	11,000 - 24,000 opm
Weight	2.4 kg
Tool dimensions (length/height/width)	419 /192/148 mm



Belt & compact belt sander

GBS 75 AE

0601274703

Power	750 W
Belt speed	200 - 330 m/min
Sanding surface, width	75 mm
Weight	3.4 kg
Tool dimensions (length/height/width)	440/130/114 mm



Heat Gun

GHG 180

060194D0L0

Power	1800 W
Working temperature	60 - 550 °C
Airflow	350 - 550 l/min
Control airflow	3 stages
Scope of supply	Carton, Hot Air Nozzle



GHG 23-66

06012A6371

Weight	0.67 kg
Power	2300 W
Tool dimension (length/width/height)	245/86/201 mm
Temperature (from/to)	50/650 °C
Control, airflow	Continuous



Blower

GBL 620

06019805L0

Power	620 W
No-load speed	16000 rpm
Volumetric flow rate	3.5 m³/min
Weight	1.7 kg
Scope of supply	Carton, Nozzle



GBL 800 E

06019804P0

Power	820 W
Weight	2.25 kg
No-load speed	16000 rpm
Volumetric flow rate	4.5 m³/min



Multifunction tool

GOP 30-28

06012370L0

Power	300 W
Oscillation angle	1.4 °
No-load oscillation to	20000 opm
Weight	1.5 kg
No-load oscillation from	8000 opm



Impact Drill

GSB 570

06011B70L0

Power	570 W
No-load speed	0-3000 rpm
Ø max of drilling [wood/steel/masonry]	25/10/13 mm
Chuck capacity	1.5-13 mm
Scope of supply	Carton, Auxiliary Handle, Depth-Gauge, Chuck Key



GSB 13 RE

06012271K1

Power	650 W
No-load speed	0-3150 rpm
Ø max of drilling [wood/steel/masonry]	20/10/13 mm
Chuck capacity	1.5-13 mm
Scope of supply	Case, Auxiliary Handle, Depth-Gauge, Chuck Key, AC Set



GSB 16RE + ACC

06012281L1

Power	750 W
No-load speed	0 - 3250 rpm
Ø max of drilling [wood/steel/masonry]	25/12/16 mm
Chuck capacity	1.5 - 13 mm
Scope of supply	GSB 16 RE baretool, Lateral Guard, Auxiliary Handle, Depth-Gauge, Accessory Set, Operating Instructions



GSB 20-2 RE

06011A21L0

Power	1100 W
No-load speed	0-800/3000 rpm
Ø max of drilling [wood/steel/masonry]	25/13/22 mm
Chuck capacity	1.5 - 13 mm
Scope of supply	GSB 20-2 Baretool, Auxiliary Handle, Depth-Gauge, Instruction manual



GSB 24-2

060119C970

Power	1100 W
No-load speed	0-900/3000 rpm
Ø max of drilling [wood/steel/masonry]	40/16/24 mm 25/8/13 mm
Chuck capacity	1.5 - 13 mm
Scope of supply	GSB 24-2 Baretool, Auxiliary Handle, Depth-Gauge, Instruction manual



Drills

Drywall Screwdriver

GBM 1600 RE

06011B00K0

Power	850 W
No-load speed	0-630 rpm
Ø max of drilling [wood/steel/masonry]	40/16 mm
Chuck capacity	3-16 mm
Scope of supply	Carton, Auxiliary Handle, Chuck Key



GSB 162-2 RE

060118B070

Power	1500 W
No-load speed	0-750/2550 rpm
Ø max of drilling [wood/steel/masonry]	50/20/162 mm
Chuck capacity	16 mm
Scope of supply	GSB 162-2 RE Baretool, Auxiliary Handle, Depth-Gauge, Instruction manual



GTB 650

06014A20P0

Power	650 W
No-load speed	0 - 5000 rpm
Tool dimensions [height/length/width]	190/283/68 mm
Weight (no battery)	1.4 kg
Torque, max.	12 Nm



Screwdriver / Impact Wrench (electric)

GDS 18 E

0601444000

Power	500w
No-load speed	0 - 800 rpm
Tool dimensions [height/length]	200/315 mm
Weight	14.7 kg
Torque, max.	250 Nm
Bit holder	1/2" external square



GDS 24

0601434103

Power	800 W
Rated speed	950 rpm
Tool dimensions [height/length]	436/416 mm
Weight	5.7 kg
Torque, max.	600 Nm
Bit holder	3/4" external square



GDS 30

0601435103

Power	920 W
Rated speed	860 rpm
Torque, max.	1000 Nm
Weight	7.3 kg
Tool dimensions [length/height]	431/436
Bit holder	1" external square



Magnetic Core Drill

GBM 50-2

06011B40L0

Weight (no battery)	14.7 kg
No-load speed	0 - 510 rpm
Tool dimensions [height/length/width]	444/274/196 mm
Power	1200 W
Scope of supply	Auxiliary handle, Chuck key, Carton box



Stirrer and Mixer

GRW 12 E

06011A7000

Power	1200 W
No-load speed	0-1000 rpm
Torque	12 Nm
Weight	5.3 kg
Scope of supply	Carton, Mixer Attachment



Diamond core drill

GDB 350 WE

0601189970

Power	3200 W
Tool holder	1 1/4" UNC
Drilling range	350 mm
Weight	11.9 kg
Tool dimensions [width/length/height]	142/534 / 168



Rotary Hammer



Rotary Hammer

GBH 2-20 DRE

061125A4L0

Power	600 W
Ø Max drilling in concrete	20 mm
Tool holder	SDS-Plus
Impact energy	1.7 J
Scope of supply	Case, Auxiliary Handle, Depth-Gauge



GBH 220

06112A60L0

Weight (no battery)	2.3 kg
Tool holder	SDS plus
Ø max drilling [wood/metal/concrete]	30/13/22 mm
Impact energy	2 J
Impact rate at rated speed	4800 bpm



GBH 2-24 DRE

06112721K0

Power	790 W
Ø Max drilling in concrete	24 mm
Tool holder	SDS-Plus
Impact energy	2.7 J
Scope of supply	Case, Auxiliary Handle, Depth-Gauge



GBH 2-24 DFR

06112730L1

Weight (no battery)	2.9 kg
Tool holder	SDS plus
Ø max drilling [wood/metal/concrete]	30/13/24 mm
Impact energy	2.7 J
Impact rate at rated speed	0- 4200 bpm



GBH 2-26 F

06112A4070

Weight (no battery)	2.9 kg
Tool holder	SDS plus
Ø max drilling [wood/metal/concrete]	30/13/26 mm
Impact energy	2.7 J
Impact rate at rated speed	4000 bpm



GBH 2-28 F

06112676P0

Weight (no battery)	3.1 kg
Tool holder	SDS plus
Ø max drilling [wood/metal/concrete]	30/13/28 mm
Impact energy	3.2 J
Impact rate at rated speed	4000 bpm



GBH 3-28 DFR

061124A000

Power	800 W
Ø Max drilling in concrete	28 mm
Tool holder	SDS-Plus
Impact energy	3.1 J
Scope of supply	Case, Auxiliary Handle, Depth-Gauge, Quick Change Chuck



GBH 4-32 DFR

0611332171

Weight (no battery)	4.7 kg
Tool holder	SDS plus
Ø max drilling [wood/metal/masonry]	32/13/90 mm
Impact energy	4.2 J
Impact rate at rated speed	3600 bpm



GBH 5-40 D

0611269000

Power	1100 W
Ø Max drilling in concrete	40 mm
Tool holder	SDS-Max
Impact energy	8.5 J
Scope of supply	Case, Auxiliary Handle



GBH 8-45 DV

611265070

Weight (no battery)	9.5 kg
Tool holder	SDS max
Drilling range	12 - 125 mm
Impact energy	12.5 J
Impact rate at rated speed	2760 bpm



GBH 12-52 DV

611266000

Power	1700 W
Ø Max drilling in concrete	52 mm
Tool holder	SDS-Max
Impact energy	19 J
Scope of supply	Case, Auxiliary Handle



Chipping/ Demolition



Demonlition Hammer

GSH 11 E

06113168L0

Power	1500 W
Impact rate	900 - 1890 BPM
Tool holder	SDS-Max
Impact energy	16.8 J
Scope of supply	Baretool, Chisel, Cleaning Cloth, Grease Tube, Instruction manual



GSH 500

06113387L0

Power	1100 W
Impact rate	2900 bpm
Tool holder	SDS-Max
Impact energy	7.5 J
Scope of supply	Case, Auxiliary Handle, Pointed Chisel



GSH 16-28

0611335070

Power	1750 W
Impact rate	1300 bpm
Impact energy	41 J
Weight	18.3 kg
Tool holder	HEX 28 mm



GSH 27 VC

061130A000

Power	2000 W
Impact rate	1000 bpm
Tool holder	HEX 28 mm
Impact energy	62 J
Scope of supply	Carton



Angle Grinder

SAG

GWS 060/6700

06013756L0

Power	670 W
No-load speed	12,000 rpm
Disc Ø	100 mm
Weight	1.8 kg
Tool dimensions (length/height/width)	263 /104/77



GWS 700

06013A30L0

Power	700 W
No-load speed	12000 rpm
Disc Ø	115 mm
Spindle thread	M14
Scope of supply	Carton, Auxiliary Handle, Protection Guard



GWS 750-115

0601394000

Power	750 W
No-load speed	11000 rpm
Disc Ø	115 mm
Spindle thread	M14
Scope of supply	Carton, Auxiliary Handle, Protection Guard



GWS 9-115 P

0601396505

Power	900 W
No-load speed	11000 rpm
Disc Ø	115 mm
Spindle thread	M14
Scope of supply	Carton, Auxiliary Handle, Protection Guard



GWS 750-125

0601394001

Power	750 W
No-load speed	11000 rpm
Disc Ø	125 mm
Weight	1.8 kg
Tool dimensions (length/height/width)	270/100/73



GWS 9-125

06013960L1

Power	900 W
No-load speed	11000 rpm
Disc Ø	125 mm
Weight	1.9 kg
Tool dimensions (length/height/width)	280 /100/73



GWS 1400 + DD

0601824900

Power	1400 W
No-load speed	11000 rpm
Disc Ø	125 mm
Spindle thread	M14
Scope of supply	Case, Auxiliary Handle, Protection Guard, Diamond Cutting Blade



GBR 15 CA

0601776070

Power	1500 W
No-load speed	9300 rpm
Disc Ø	125 mm
Weight	2.6 kg
Main handle	Bow (rotating)



GWS 17-125 CIE

060179H002

Power	1700 W
No-load speed	2800- 11500 rpm
Disc Ø	125 mm
Weight	2.4 kg
Tool dimensions (length/height/width)	311/103



LAG

GWS 2000 - 180

06018B70P0

Power	2000 W
No-load speed	8500 rpm
Disc Ø	180 mm
Weight	5 kg
Main handle	Barrel



GWS 24-180

Power	2400 W
No-load speed	8500 rpm
Disc Ø	180 mm
Weight	5.7 kg
Main handle	Barrel



GWS 2000-230

06018B80P1

Power	2000 W
No-load speed	6500 rpm
Disc Ø	230 mm
Spindle thread	M14
Scope of supply	Carton, Auxiliary Handle, Protection Guard, Carbon Brush Set



GWS 2200-230

06018C10P0

Power	2200 W
No-load speed	6500 rpm
Disc Ø	230 mm
Spindle thread	M14
Scope of supply	Carton, Auxiliary Handle, Protection Guard



GWS 24-230 JH

0601884103

Power	2400 W
No-load speed	6500 rpm
Disc Ø	230 mm
Spindle thread	M14
Scope of supply	Carton, Auxiliary Handle, Protection Guard



GWS 26-230

0601856303

Power	2500 W
No-load speed	6500 rpm
Disc Ø	230 mm
Weight	5.1 kg
Main handle	Bow (rotating)



Special Grinder

Straight Grinder

GGG 5000 L

0601224170

Power	500 W
No-load speed	33000 rpm
Collet Ø	8 mm
Spindle collar Ø	41 mm
Weight	1.4 kg



GGG 28 LC

0601221070

Power	650 W
No-load speed	30000 rpm
Collet Ø	8 mm
Spindle collar Ø	43 mm
Weight	1.6 kg



Polisher

GPO 14 CE

0601389073

Power	800 W
No-load speed	750 - 3000 rpm
Surface brush, Ø	175 mm
Weight	2.5 kg
Rubber sanding plate	180 mm



Polisher (vertical)

GPO 950

06013A20L0

Power	950 W
No-load speed	600 - 2100 rpm
Polishing sponge Ø	180 mm
Weight	2.3 kg
Tool dimensions (length/height/width)	325 / 224 / 118 mm



Wall Chaser

GNF 65 A

0601368703

Power	1670 W
No-load speed	5200 rpm
Disc Ø	230 mm
Weight	8.4 kg
Tool dimensions (length/height)	690/455 mm



Double-Wheeled Grinder

GBG 60-20

060127A4L0

Power	600 W
No-load speed	3600 rpm
Grit	24, 60
Weight	15 kg
Tool dimensions (length/height/width)	370/260/230 mm



Marble/ Stone Cutter

GDC 140

06013A00L0

Power	1400 W
No-load speed	13200 rpm
Disc Ø	115x22.23 mm
Cutting depth	35 mm
Weight	2.9 kg



Shear, nibbler

GNA 75-16

0601529400

Power	750 W
No-load stroke rate	2600 spm
Cutting track width	5 mm
Weight	1.8 kg
Tool dimensions (length/height)	290/142 mm



GSC 75-16

0601500500

Power	750 W
No-load stroke rate	5200 spm
Cutting capacity in steel	1.6 mm
Weight	1.7 kg
Tool dimensions (length/height)	254/142 mm



Bench Top/Miter Saw



BT Table Saw

GTS 254

0601B450L0

Power	1800 W
No-load speed	4300 rpm
Saw blade Ø	254 x 25.4 mm
Table size	555 x 555 mm
Scope of supply	Carton, Optiline For Wood Saw Blade 40 teeth Ø 254 x 25.4 mm



BT Miter Saw

GCM 10 MX

0601B290P0

Power	1700 W
No-load speed	4800 rpm
Saw blade Ø	254x25.4 mm
Cutting depth [0°/45°]	89x89/ 62x130 mm
Scope of supply	Carton, Multimaterial Saw Blade 96 teeth Ø 254 x 30.0 mm



GCM 12 GDL

0601B23670

Power	2000 W
No-load speed	3800 rpm
Saw blade Ø	305x30 mm
Cutting depth [0°/45°]	104x341 / 51x341 mm
Scope of supply	Carton, Expert for Wood Saw Blade 72 teeth Ø 305 x 30.0 mm



GTM 12

0601B15071

Power	1800 W
No-load speed	3800 rpm
Saw blade Ø	305 mm
Cutting capacity [0°/45°]	95 x 150 mm / 95 x 90 mm
Tool dimensions (width/length/height)	660/550/400 mm



Metal cut-off saw

GCO 220

0601B373L0

Power	2200 W
No-load speed	3800 rpm
Disc Ø	355 x 25.4 mm
Cutting capacity at L-profile [0°/45°]	130 x 130 mm / 115 x 115 mm
Scope of supply	Carton, 2xCutting



GCO 240

0601B380P0

Power	2400 W
No-load speed	3800 rpm
Weight	17 kg
Cutting capacity [0°/45°]	100 x 196 mm / 107 x 115 mm
Cutting disc diameter	355 mm



GCD 12 JL

0601B28070

Power	2000 W
No-load speed	1500 rpm
Disc Ø	305x25.4 mm
Cutting capacity at L-profile [0°/45°]	110x110 / 85x85 mm
Scope of	Carton, Expert for Steel Saw Blade 60



Vaccum Cleaner

Vacuum cleaner

GAS 15

06019E5000

Power	1100 W
Weight	6 kg
Container volume, net	10 l
Max. vacuum pressure	270 mbar
Filter surface area	2300 cm²



GAS12-25/12-25PS

060197C1L0

Power	1250 W
Weight	9 kg
Container volume, net	21 l
Max. vacuum pressure	200 mbar
Filter surface area	2300 cm²



GAS 35 L SFC+

06019C3060

Power	1200 W
Weight	11.6 kg
Container volume, net	23 l
Max. vacuum pressure	254 mbar
Filter surface area	6150 cm²



Pressure Washers



High-pressure washer

GHP 5-75 X

0600910800

Power	2600 W
Weight	26.8 kg
Max. flow rate	570 l/h
Max. pressure	185 bar



GHP 8-15 XD

0600910300

Power	4,000 W
Weight	40.6 kg
Max. flow rate	800 l/h
Max. pressure	160 bar



Cordless

Impact Drill Driver

GSB 120 LI

06019G81L0

Voltage	12 V
Torque [max/Soft]	28/11 Nm
No-load speed [1st gear/2nd gear]	0-400/0-1300 rpm
Ø max of drilling [wood/steel/masonry]	19/6/8 mm
Max screw Ø	7 mm



Impact Driver

GDR 120-LI

06019F00L1

Torque (hard)	100 Nm
No-load speed	1300 - 2600 rpm
Max. impact rate	2800- 3400 bpm
Battery Voltage	12 V
Bit holder	1/4" internal hexagon



Cordless Impact Drill

GSB 180-LI + 23 ACC

06019F83L1

Voltage	18 V
Torque [max/Soft]	54/21 Nm
No-load speed [1st gear/2nd gear]	0-500/1900 rpm
Ø max of drilling [wood/steel/masonry]	35/10/10 mm
Scope of supply	Case, 2x batteries 2.0Ah, Charger GAL 18V-20, AC Set



GSB 18V-50

06019H51L1

Voltage	18 V
Torque [max/Soft]	28 Nm
No-load speed [1st gear/2nd gear]	0-460/0-1800rpm
Ø max of drilling [wood/steel/masonry]	35/13/13 mm
Scope of supply	Case, 2x batteries 2.0Ah, Charger GAL



GSB 18V-60 C

06019G2100

Voltage	18 V
Max torque	60/31 Nm
No-load speed	0-600/1900 rpm
Tool holder	38/13/13 mm
Scope of supply	L-Boxx, 2x batteries 5.0 Ah, GAL 1880 CV



GSB 18V-85 C

06019G0370

Voltage	18 V
Max torque	110 Nm
No-load speed	0-480/0-2100rpm
Drilling diameter [wood/steel/masonry]	82/13/16 mm
Max. screw diameter	12 mm



Impact Driver

GDx 180-LI

06019G5220

Voltage	18 V
Max torque	180 Nm
No-load speed	0-2800 rpm
Tool holder	1/4" Internal Hexagon/1/2" Square
Scope of supply	Case, 2x batteries 3.0Ah, Charger GAL 18V-40



Impact wrench

GDS 250-LI

06019G6110

Torque, max.	250 Nm
Impact rate	0-3,300 bpm
Tool holder	1/2" Square
No-load speed, from	0 rpm
No-load speed, up to	2400 rpm



Blower

GBL 18V-120

06019F5100

No-load speed	17,000 rpm
Max. airflow	120 m³/h
Battery voltage	18.0 V
Max. air speed	75 m/s
Runtime	Speed I : 9 min/Ah, Speed II : 5 min/Ah



Light

GLI 180-LI

06014A1100

Luminous flux	300 lm
Battery voltage	from 14.4 V
Battery voltage	upto 18.0 V
Weight excl. battery	0.3 kg
Max. operating time	250 mins/Ah



Dust Extractor

GAS 18V-1

06019C6200

Container volume	0.7 l
Operating time	7 mins/Ah
Filter surface area	55 cm²
Max. airflow rate (turbine)	10 l/s
Max. vacuum pressure	60 mbar



Angle grinder

GWS 180-LI

06019H90P0

Weight	1.6 kg
No-load speed	11000 rpm
Bore size	22.23 mm
Grinding diameter	125 mm
Grinding spindle thread	M14



Multifunction tool

GOP 18V-28

06018B6002

Weight	1.2 kg
Oscillation angle	1.4 °
No-load rotation	8000 opm
No-load rotation to	20000 opm



Reciprocating saw

GSA 18.0 V-LI

060164J000

Weight	2.9 kg
Stroke rate	0 - 2,700 spm
Cutting depth (metal/wood)	130/250 mm
Stroke length	28 mm
Battery voltage	18.0 V



Rotary Hammers

GBH 18V-26F

0611910000

Weight	1.2 kg
Impact energy	2.6 J
Impact rate	0 - 4,350 bpm
Max. drilling (metal/wood)	13/30 mm
Tool holder	SDS plus



GBH 180-LI

0611911180

Weight	2.3 kg
Impact energy	2 J
Impact rate	0 - 5100 bpm
Max. drilling (metal/wood)	13/30 mm
Tool holder	SDS plus



Measuring & Detection



Detector

GMS 120

0601081000

Max. detection depth	120 mm
Detection depth, steel, max	120 mm
Detection depth, copper, max	80 mm
Detectable materials	Ferrous metals, non-ferrous metals, wooden studs, live cables
Scope of supply	1 x 9 V 6LR61 (block) battery, Hand strap, Protective bag



Distance Measurement Unit

GLM 20

0601072EG0

Measuring range (from/to)	0.15 - 20 m
Weight	0.13 kg
Power supply	2 x 1.5 V LR03 (AAA)
Tool dimensions (length/width/height)	100/36/23
Battery lifetime	5 h



GLM 50

0601072200

Measuring range (from/to)	05 - 50 m
Weight	0.14 kg
Power supply	2 x 1.5 V LR03 (AAA)
Tool dimensions (length/width/height)	115/53/32
Measurement accuracy	± 1.5 mm



GLM 80

0601072300

Measuring range (from/to)	05 - 80 m
Weight	0.14 kg
Power supply	1 x 3.7 V Li-Ion battery (1250 mAh)
Tool dimensions (length/width/height)	111 /51/30
Measurement accuracy	± 1.5 mm




7

Measuring Wheel

GWM 32

0601074000

Handle	Telescopic handle
Weight	1.4 kg
Max. measured value	9999.9 m
Wheel diameter	318.5 mm (1 m)
Measurement accuracy	±1 dm/100 m



Cross-line laser

GLL 2

0601063A01

Working range	10m
Projection	2 lines
Accuracy	+/- 0.5 mm/m
Self-levelling range	+/- 4°
Scope of supply	2 x 1.5 V (AA) batteries, Universal mount MM 2



Three-line laser

GLL 3-15 X

0601063M00

Working range	15m
Projection	3 lines + 1 plumb point
Accuracy	+/- 0.2 mm/m
Self-levelling range	+/- 3°
Scope of supply	4 x 1.5 V (AA) batteries, Universal mount LB 10, Protective bag



GLL 3-80

0601063S00

Working range	30m [with receiver:120m] diameter
Projection	3 x 360° line
Accuracy	+/- 0.3 mm/m
Self-levelling range	+/- 4°
Scope of supply	4 x 1.5 V (AA) batteries, Carrying case, Laser target plate



Optical level

GOL 32 D + BT 160 + GR 500

0601068502

Measurement range	Max. 120m
Accuracy	1mm at 30m
Unit of measure	360 degrees
Magnification	32 x
Scope of supply	BT 160 Professional tripod, GR 500 levelling staff, Adjusting pin, Hex key, Lens cover, Plumb bob



Supporting Accessories



Tripod

BT 150

0601096B00

Max. work height	55 -157 cm
Tripod connection	1/4"
Weight, approx.	1.3 kg
Suitable for	GLL 2, GLL 3-15X, GLL 3-80, GLM 50-22 Professional



BT 160

0601091200

Max. work height	97 -160 cm
Tripod connection	5/8"
Weight, approx.	4.1 kg
Suitable for	GLL 3-80, GOL 20 G/D, GOL 26 G/D, GOL 32G/D, GRL 300 HV, GRL 600 CHV Professional



Levelling staff

GR 500

0601094300

Length	5m
Sections	5
Weight, approx.	1.98 kg
Suitable for	GRL 300 HV, GRL 600 CHV, GOL 20 G/D, GOL 26 G/D, GOL 32G/D Professional



Charger

GAX 18V-30

1600A011AA

Charge current	3 A
Charg. time	65/85 min
Interfaces	USB port: 5 V, max. 2.1 A
Battery charging voltage	10.8 V



GAL 1880 CV

1600A00B8H

Charge current	8 A
Charg. time	41/55 min
Weight, approx.	0.7 kg
Battery charging voltage,	18 V



Drill stand

GCR 350

0601190200

Length	955 mm
Securing, type	bolted
Weight, approx.	12.6 kg
Working length, Z-axis	550 mm



Battery pack

GBA 12V, 2.0Ah

1600Z0002X

Voltage	12V
Capacity	2.0 Ah
Weight, approx.	0.175 kg
Scope of supply	1 x battery GBA 12 V 2.0 Ah Carton box



GBA 18V, 5.0Ah

1600A002U5

Voltage	18 V
Capacity	5.0 A
Weight, approx.	0.62 kg
Scope of supply	1x Battery GBA 18V 5.0Ah XL Pac Carton box



Saw stand

GTA 2600

0601B12300

Length	2600 mm
Height	947 mm
Weight, approx.	19.6 kg
Load bearing capacity, max.	160 kg



Starter set

GBA 18V

1600A00B8M

Battery 1 weight	0.62 kg
Charger weight	0.7 kg
Cell type	Li-Ion
Charge current	8 A



Metal Drill Bits



HSS PointTeQ



REFERENCE	DESCRIPTION	REFERENCE	DESCRIPTION
2608577178	HSS PointTeQ DIN 338 1 x 12 x 34 mm (10pcs)	2608577263	HSS PointTeQ DIN 338 9,5 x 81 x 125 mm (10pcs)
2608577188	HSS PointTeQ DIN 338 2 x 24 x 49 mm (10pcs)	2608577268	HSS PointTeQ DIN 338 10 x 87 x 133 mm (10pcs)
2608577198	HSS PointTeQ DIN 338 3 x 33 x 61 mm (10pcs)	2608577273	HSS PointTeQ DIN 338 10,5 x 87 x 133 mm (5pcs)
2608577203	HSS PointTeQ DIN 338 3,5 x 39 x 70 mm (10pcs)	2608577278	HSS PointTeQ DIN 338 11 x 94 x 142 mm (5pcs)
2608577208	HSS PointTeQ DIN 338 4 x 43 x 75 mm (10pcs)	2608577283	HSS PointTeQ DIN 338 11,5 x 94 x 142 mm (5pcs)
2608577213	HSS PointTeQ DIN 338 4,5 x 47 x 80 mm (10pcs)	2608577288	HSS PointTeQ DIN 338 12 x 101 x 151 mm (5pcs)
2608577218	HSS PointTeQ DIN 338 5 x 52 x 86 mm (10pcs)	2608577298	HSS PointTeQ DIN 338 13 x 101 x 151 mm (5pcs)
2608577223	HSS PointTeQ DIN 338 5,5 x 57 x 93 mm (10pcs)	2608577306	HSS PointTeQ 14.0mm (reduced shank) (1pc)
2608577228	HSS PointTeQ DIN 338 6 x 57 x 93 mm (10pcs)	2608577308	HSS PointTeQ 15.0mm (reduced shank) (1pc)
2608577233	HSS PointTeQ DIN 338 6,5 x 63 x 101 mm (10pcs)	2608577310	HSS PointTeQ 16.0mm (reduced shank) (1pc)
2608577238	HSS PointTeQ DIN 338 7 x 69 x 109 mm (10pcs)	2608577312	HSS PointTeQ 17.0mm (reduced shank) (1pc)
2608577243	HSS PointTeQ DIN 338 7,5 x 69 x 109 mm (10pcs)	2608577313	HSS PointTeQ 18.0mm (reduced shank) (1pc)
2608577248	HSS PointTeQ DIN 338 8 x 75 x 117 mm (10pcs)	2608577314	HSS PointTeQ 19.0mm (reduced shank) (1pc)
2608577253	HSS PointTeQ DIN 338 8,5 x 75 x 117 mm (10pcs)	2608577315	HSS PointTeQ 20.0mm (reduced shank) (1pc)
2608577258	HSS PointTeQ DIN 338 9 x 81 x 125 mm (10pcs)		

HSS - G



REFERENCE	DESCRIPTION	REFERENCE	DESCRIPTION
2608595049	Metal drill bits HSS-G, DIN 338 1 x 12 x 34 mm (10pcs)	2608595072	Metal drill bits HSS-G, DIN 338 8 x 75 x 117 mm (5pcs)
2608595051	Metal drill bits HSS-G, DIN 338 2 x 24 x 49 mm (10pcs)	2608595073	Metal drill bits HSS-G, DIN 338 8,5 x 75 x 117 mm (5pcs)
2608595055	Metal drill bits HSS-G, DIN 338 3 x 33 x 61 mm (10pcs)	2608595075	Metal drill bits HSS-G, DIN 338 9 x 81 x 125 mm (5pcs)
2608595058	Metal drill bits HSS-G, DIN 338 3,5 x 39 x 70 mm (10pcs)	2608595077	Metal drill bits HSS-G, DIN 338 10 x 87 x 133 mm (5pcs)
2608595059	Metal drill bits HSS-G, DIN 338 4 x 43 x 75 mm (10pcs)	2608595078	Metal drill bits HSS-G, DIN 338 10,5 x 87 x 133 mm (5pcs)
2608595061	Metal drill bits HSS-G, DIN 338 4,5 x 47 x 80 mm (10pcs)	2608595079	Metal drill bits HSS-G, DIN 338 11 x 94 x 142 mm (5pcs)
2608595062	Metal drill bits HSS-G, DIN 338 5 x 52 x 86 mm (10pcs)	2608595080	Metal drill bits HSS-G, DIN 338 11,5 x 94 x 142 mm (5pcs)
2608595064	Metal drill bits HSS-G, DIN 338 5,5 x 57 x 93 mm (10pcs)	2608595081	Metal drill bits HSS-G, DIN 338 12 x 101 x 151 mm (5pcs)
2608595066	Metal drill bits HSS-G, DIN 338 6 x 57 x 93 mm (10pcs)	2608595083	Metal drill bits HSS-G, DIN 338 13 x 101 x 151 mm (5pcs)
2608595068	Metal drill bits HSS-G, DIN 338 6,5 x 63 x 101 mm (10pcs)	2608585593	Metal drill bits HSS-G, DIN 338 14 x 108 x 160 mm (4pcs)
2608595070	Metal drill bits HSS-G, DIN 338 7 x 69 x 109 mm (10pcs)	2608585594	Metal drill bits HSS-G, DIN 338 15 x 114 x 169 m(4pcs)
2608595071	Metal drill bits HSS-G, DIN 338 7,5 x 69 x 109 mm (10pcs)	2608585595	Metal drill bits HSS-G, DIN 338 16 x 120 178 m (4pcs)



2608587013 Probox HSS-G, 1-10 mm (19pcs)
2608587017 Probox HSS-G, 1-13 mm (25pcs)



2608587015 Probox HSS-TiN, 1-10 mm (19pcs)
2608587019 Probox HSS-TiN, 1-13 mm (25pcs)
(Titanium Coated)



2608577351 ProBox HSS PointTeQ 1-10 mm (19Pcs)
2608577352 ProBox HSS PointTeQ 1-13 mm (25Pcs)



2608587014 Probox HSS-Co, 1-10 mm (19pcs)
2608587018 Probox HSS-Co, 1-13 mm (25pcs)
(For Stainless Steel)

Spade Bits Self Cut


Extremely fast and clean holes

Excellent price/performance ratio and drilling accuracy:
The cost-effective and fast alternative to auger bits

REFERENCE	DESCRIPTION
2608595487	Self Cut Speed spade bit, hexagon 16 x 152 mm
2608595489	Self Cut Speed spade bit, hexagon 18 x 152 mm
2608595491	Self Cut Speed spade bit, hexagon 20 x 152 mm
2608595492	Self Cut Speed spade bit, hexagon 22 x 152 mm
2608595493	Self Cut Speed spade bit, hexagon 24 x 152 mm
2608595494	Self Cut Speed spade bit, hexagon 25 x 152 mm
2608595498	Self Cut Speed spade bit, hexagon 32 x 152 mm
2608587009	7-piece Self Cut Speed spade bit set 16; 18; 20; 22; 25; 32 mm
2608587010	13-piece Self Cut Speed spade bit set 10; 12; 13; 14; 16; 18; 20; 22; 24; 25; 28; 30; 32mm

Innovative self feeding threaded tips

for fast and accurate drilling with little exertion of force: pulls it self through all the way, even in hardwood



Brad Point Drill Bits

Extremely sharp drill bits for precise, tear-free drilled holes


REFERENCE	DESCRIPTION
2608596303	Standard brad point drill bits 6 x 57 x 93 mm, d 6 mm
2608596305	Standard brad point drill bits 8 x 75 x 117 mm, d 8 mm
2608596307	Standard brad point drill bits 10 x 80 x 120 mm, d 10 mm
2608596309	Standard brad point drill bits 12 x 96 x 151 mm, d 10 mm
2608596311	Standard brad point drill bits 14 x 96 x 151 mm, d 10 mm
2608596313	Standard brad point drill bits 16 x 100 x 160 mm, d 10 mm



Spur Auger Bits

Precise and clean drilled holes

REFERENCE	DESCRIPTION
2608597644	Wood auger bit, hexagon 16 x 360 x 450 mm, d 11,1 mm
2608597645	Wood auger bit, hexagon 18 x 360 x 450 mm, d 11,1 mm
2608597646	Wood auger bit, hexagon 20 x 360 x 450 mm, d 11,1 mm
2608597647	Wood auger bit, hexagon 22 x 360 x 450 mm, d 11,1 mm
2608597648	Wood auger bit, hexagon 24 x 360 x 450 mm, d 11,1 mm
2608597649	Wood auger bit, hexagon 26 x 360 x 450 mm, d 11,1 mm
2608597650	Wood auger bit, hexagon 28 x 360 x 450 mm, d 11,1 mm
2608597651	Wood auger bit, hexagon 30 x 360 x 450 mm, d 11,1 mm



Cylindrical Drill Bits




CYL-3

Fast and clean holes in concrete

- Good lifetime/wear resistance
- Standard lifetime/Good dust removal


REFERENCE	DESCRIPTION
2608597660	Concrete drill bit CYL-3 6 x 60 x 100 mm, d 5,5 mm
2608597663	Concrete drill bit CYL-3 8 x 80 x 120 mm, d 7,5 mm
2608597665	Concrete drill bit CYL-3 10 x 80 x 120 mm, d 9 mm
2608597667	Concrete drill bit CYL-3 12 x 90 x 150 mm, d 10 mm
2608597684	Concrete drill bit CYL-3 12 x 150 x 200 mm, d 10 mm
2608597688	Concrete drill bit CYL-3 14 x 250 x 300 mm, d 10 mm



CYL-9 Ceramic

Drilling in soft and medium density tiles

REFERENCE	DESCRIPTION
2608587161	Tile drill bit CYL-9 Ceramic 6 x 80 mm
2608587164	Tile drill bit CYL-9 Ceramic 8 x 80 mm
2608587165	Tile drill bit CYL-9 Ceramic 10 x 90 mm
2608587166	Tile drill bit CYL-9 Ceramic 12 x 90 mm
2608587167	Tile drill bit CYL-9 Ceramic 14 x 90 mm
2608587168	Tile drill bit CYL-9 Ceramic 16 x 90 mm



Diamond Drill Bit Easy Dry

Best for ceramic


REFERENCE	DESCRIPTION
2608587143	Diamond drill bit Easy Dry Best for Ceramic 12 x 33 mm
2608587144	Diamond drill bit Easy Dry Best for Ceramic 14 x 33 mm



CYL-9 Natural Stone

REFERENCE	DESCRIPTION
2608589550	CYL-9 NaturalStone, 6 x 150 mm
2608589541	CYL-9 NaturalStone, 8 x 150 mm
2608589548	CYL-9 NaturalStone, 10 x 120 mm
2608589549	CYL-9 NaturalStone, 12 x 150 mm
2608589544	CYL-9 NaturalStone, 14 x 150 mm





CYL-9 Multi Construction Drilling in all kinds of material

REFERENCE	DESCRIPTION
2608596050	Multi-purpose drill bit CYL-9 Multi Construction 4 x 40 x 75 mm, d 3,8 mm
2608596051	Multi-purpose drill bit CYL-9 Multi Construction 5 x 50 x 85 mm, d 4,5 mm
2608596053	Multi-purpose drill bit CYL-9 Multi Construction 6 x 60 x 100 mm, d 5,5 mm
2608596055	Multi-purpose drill bit CYL-9 Multi Construction 8 x 80 x 120 mm, d 7,2 mm
2608596057	Multi-purpose drill bit CYL-9 Multi Construction 10 x 80 x 120 mm, d 9 mm
2608596058	Multi-purpose drill bit CYL-9 Multi Construction 12 x 90 x 150 mm, d 10 mm
2608596065	Multi-purpose drill bit CYL-9 Multi Construction 14 x 200 x 250 mm, d 10 mm

NEW



REFERENCE	DESCRIPTION
2608579417	Hammer drill bit SDS plus-1 (4 Flute) 6x50x110mm
2608579418	Hammer drill bit SDS plus-1 (4 Flute) 6x100x160mm
2608579425	Hammer drill bit SDS plus-1 (4 Flute) 8x100x160mm
2608579426	Hammer drill bit SDS plus-1 (4 Flute) 8x150x210mm
2608579430	Hammer drill bit SDS plus-1 (4 Flute) 10x100x160mm
2608579434	Hammer drill bit SDS plus-1 (4 Flute) 12x100x160mm
2608579435	Hammer drill bit SDS plus-1 (4 Flute) 12x150x210mm
2608579436	Hammer drill bit SDS plus-1 (4 Flute) 12x200x260mm
2608579437	Hammer drill bit SDS plus-1 (4 Flute) 12x400x460mm
2608579441	Hammer drill bit SDS plus-1 (4 Flute) 14x200x260mm
2608579442	Hammer drill bit SDS plus-1 (4 Flute) 14x400x460mm
2608579443	Hammer drill bit SDS plus-1 (4 Flute) 16x150x210mm
2608579444	Hammer drill bit SDS plus-1 (4 Flute) 16x250x310mm
2608579445	Hammer drill bit SDS plus-1 (4 Flute) 16x400x460mm
2608579446	Hammer drill bit SDS plus-1 (4 Flute) 18x200x260mm
2608579447	Hammer drill bit SDS plus-1 (4 Flute) 18x400x450mm
2608579448	Hammer drill bit SDS plus-1 (4 Flute) 20x200x260mm
2608579452	Hammer drill bit SDS plus-1 (4 Flute) 25x200x250mm

REFERENCE	DESCRIPTION
2608833778	Hammer drill bit SDS-plus-5X 6 x 100 x 160 mm
2608833789	Hammer drill bit SDS-plus-5X 8 x 150 100 x 160 mm
2608833790	Hammer drill bit SDS-plus-5X 8 x 150 x 210 mm
2608833798	Hammer drill bit SDS-plus-5X 10 x 100 x 160 mm
2608833800	Hammer drill bit SDS-plus-5X 10 x 200 x 260 mm
2608833807	Hammer drill bit SDS-plus-5X 12 x 100 x 160 mm
2608833808	Hammer drill bit SDS-plus-5X 12 x 150 x 160 mm
2608833809	Hammer drill bit SDS-plus-5X 12 x 200 x 260 mm
2608833812	Hammer drill bit SDS-plus-5X 12 x 400 x 460 mm
2608833818	Hammer drill bit SDS-plus-5X 14 x 200 x 260 mm

REFERENCE	DESCRIPTION
2608833825	Hammer drill bit SDS-plus-5X 16 x 150 x 210 mm
2608833827	Hammer drill bit SDS-plus-5X 16 x 250 x 310 mm
2608833829	Hammer drill bit SDS-plus-5X 16 x 400 x 460 mm
2608833912	3-pieces Hammer drill bit set SDS-plus-5X 6;8;10 x 100 x 160 mm

SDS Plus-5X




SDS Max Drill Bits



SDS Max-4

Long life drilling
in concrete

REFERENCE	DESCRIPTION
2608685861	Hammer drill bit SDS-max-4 16 x 400 x 540 mm
2608685863	Hammer drill bit SDS-max-4 18 x 400 x 540 mm
2608685865	Hammer drill bit SDS-max-4 20 x 400 x 520 mm
2608685867	Hammer drill bit SDS-max-4 22 x 400 x 520 mm
2608685869	Hammer drill bit SDS-max-4 25 x 400 x 520 mm
2608685871	Hammer drill bit SDS-max-4 28 x 400 x 520 mm
2608685873	Hammer drill bit SDS-max-4 30 x 400 x 520 mm
2608685875	Hammer drill bit SDS-max-4 32 x 400 x 520 mm
2608685876	Hammer drill bit SDS-max-4 35 x 400 x 520 mm
2608685877	Hammer drill bit SDS-max-4 40 x 400 x 520 mm



SDS Max-8X NEW

Enables 50% more durability
in toughest applications

- Full carbide, 4-cutter head guarantees exceptional performance and resistance in reinforced concrete
- Extremely high stress and heat resistant due to strong and lasting welded bond between steel body and full carbide head
- Ultimate sharp 90° centering tip provides an accurate start when drilling



REFERENCE	DESCRIPTION
2608578602	New! SDS-max-8X 12 x 200 x 340 mm
2608578603	New! SDS-max-8X 12 x 400 x 540 mm
2608578606	New! SDS-max-8X 14 x 200 x 340 mm
2608578607	New! SDS-max-8X 14 x 400 x 540 mm
2608578612	New! SDS-max-8X 16 x 200 x 340 mm
2608578613	New! SDS-max-8X 16 x 400 x 540 mm
2608578619	New! SDS-max-8X 18 x 200 x 340 mm
2608578620	New! SDS-max-8X 18 x 400 x 540 mm
2608578626	New! SDS-max-8X 20 x 200 x 320 mm
2608578627	New! SDS-max-8X 20 x 400 x 520 mm
2608578632	New! SDS-max-8X 22 x 400 x 520 mm
2608578637	New! SDS-max-8X 24 x 400 x 520 mm
2608578639	New! SDS-max-8X 25 x 400 x 520 mm
2608578644	New! SDS-max-8X 26 x 400 x 520 mm
2608578646	New! SDS-max-8X 28 x 400 x 520 mm
2608578651	New! SDS-max-8X 30 x 400 x 520 mm
2608578653	New! SDS-max-8X 32 x 400 x 520 mm

SDS Max-9 Corecutter

For switch boxes

REFERENCE	DESCRIPTION
F00Y145189	SDS-max-9 core cutter 45 x 80 x 420 mm
F00Y145191	SDS-max-9 core cutter 50 x 80 x 420 mm
F00Y145195	SDS-max-9 core cutter 68 x 80 x 420 mm
2608580521	SDS-max-9 core cutter 68 x 80 x 108 mm



Chisels



REFERENCE	DESCRIPTION
2608690145	Pointed chisel SDS-plus 250 mm
2608690144	Flat chisel SDS-plus 250 x 20 mm
2609390576	Pointed chisel, Long Life, SDS-plus 250 mm
2609390394	Flat chisel, Long Life, SDS-plus 250 x 20 mm
2608690142	Pointed chisel SDS-max 400 mm
2608690128	Pointed chisel SDS-max 400 mm (10pcs)
2608690141	Flat chisel SDS-max 400 x 25 mm
2608690125	Flat chisel SDS-max 400 x 25 mm (10pcs)
2608690167	Pointed chisel RTec Speed, SDS-max 400 mm
2608690168	Pointed chisel RTec Speed, SDS-max 400 mm (10pcs)
2608690124	Flat chisel RTec Sharp, SDS-max 400 mm
2608690166	Flat chisel RTec Sharp, SDS-max 400 mm (10pcs)
2608690097	Spade chisel SDS-max 350 x 50 mm
2608690091	Tile chisel SDS-plus 260 x 40 mm
2608690106	Pointed chisel with 28 mm hex shank 400 mm
1618600019	Pointed chisel with 28 mm hex shank 520 mm
2608690108	Flat chisel, 28-mm hex shank 400 x 36 mm
1618600206	Flat chisel, 28-mm hex shank 520 x 36 mm
2608690111	Pointed chisel with 30 mm hex shank 400 mm
2608690112	Flat chisel, 30-mm hex shank 400 x 35 mm

Holesaws

REFERENCE	DESCRIPTION	REFERENCE	DESCRIPTION
2608580397	HSS bi-metal holesaw for standard adapters 16mm	2608580440	HSS bi-metal holesaw for standard adapters 102mm
2608580399	HSS bi-metal holesaw for standard adapters 19mm	2608580441	HSS bi-metal holesaw for standard adapters 105mm
2608580400	HSS bi-metal holesaw for standard adapters 20mm	2608580443	HSS bi-metal holesaw for standard adapters 111mm
2608580402	HSS bi-metal holesaw for standard adapters 22mm	2608580444	HSS bi-metal holesaw for standard adapters 114mm
2608580404	HSS bi-metal holesaw for standard adapters 25mm	2608580445	HSS bi-metal holesaw for standard adapters 121mm
2608580408	HSS bi-metal holesaw for standard adapters 32mm	2608580446	HSS bi-metal holesaw for standard adapters 127mm
2608580410	HSS bi-metal holesaw for standard adapters 35mm	2608580448	HSS bi-metal holesaw for standard adapters 152mm
2608580412	HSS bi-metal holesaw for standard adapters 38mm		
2608580413	HSS bi-metal holesaw for standard adapters 40mm		
2608580416	HSS bi-metal holesaw for standard adapters 44mm		
2608580417	HSS bi-metal holesaw for standard adapters 46mm		
2608580418	HSS bi-metal holesaw for standard adapters 48mm		
2608580419	HSS bi-metal holesaw for standard adapters 51mm		
2608580420	HSS bi-metal holesaw for standard adapters 52mm		
2608580421	HSS bi-metal holesaw for standard adapters 54mm		
2608580423	HSS bi-metal holesaw for standard adapters 57mm		
2608580426	HSS bi-metal holesaw for standard adapters 64mm		
2608580429	HSS bi-metal holesaw for standard adapters 68mm		
2608580432	HSS bi-metal holesaw for standard adapters 76mm		
2608580433	HSS bi-metal holesaw for standard adapters 79mm		
2608580434	HSS bi-metal holesaw for standard adapters 83mm		
2608580436	HSS bi-metal holesaw for standard adapters 89mm		
2608580437	HSS bi-metal holesaw for standard adapters 92mm		
2608580438	HSS bi-metal holesaw for standard adapters 95mm		
2608580439	HSS bi-metal holesaw for standard adapters 98mm		



Progressor Holesaws

REFERENCE	DESCRIPTION
2608584618	Progressor holesaw 22 mm, 7/8"
2608584620	Progressor holesaw 25 mm, 1"
2608584624	Progressor holesaw 32 mm, 1 1/4"
2608584626	Progressor holesaw 35 mm, 1 3/8"
2608584629	Progressor holesaw 40 mm, 1 9/16"
2608584635	Progressor holesaw 51 mm, 2"
2608584642	Progressor holesaw 64 mm, 2 1/2"
2608584645	Progressor holesaw 68 mm, 2 11/16"
2608584657	Progressor holesaw 105 mm, 4 1/8"



Sheet Metal Holesaws

For the toughest demands

REFERENCE	DESCRIPTION
2608584781	Sheet Metal holesaw 20 mm, 25/32"
2608584787	Sheet Metal holesaw 30 mm, 1 3/16"
2608584790	Sheet Metal holesaw 35 mm, 1 3/8"
2608584795	Sheet Metal holesaw 48 mm, 1 7/8"
26085 84803	Sheet Metal holesaw 68 mm, 2 11/16"



Progressive tooth strip

For high cutting performance and fast chip clearance.

HSS bi-metal

with 8% cobalt alloy for extreme resilience and a long lifetime.


Holesaw Sets

REFERENCE	DESCRIPTION
1609200243	8-piece hole cutter set 25; 32; 38; 44; 51; 57; 63; 68 mm
2608580803	9-piece plumber holesaw set, bi-metal 19, 22, 29, 38, 44,57, 14-30, 32-152, 6,35 x 75 mm, 6,35 x 104 mm
2608584667	9-piece electrician holesaw set, bi-metal 20, 25, 32, 38, 51, 64, 14-30, 32-152, 6,35 x 75 mm, 6,35 x 104 mm
2608580804	14-piece Progressor holesaw set 19; 22; 25; 29; 35; 38; 44; 51; 57; 64; 76 mm



Holesaw Adapters

REFERENCE	DESCRIPTION
2608584674	Power-Change adapter 8 mm hex shank
2608584675	Power-Change adapter SDS-plus shank
2609390034	Hexagon socket adapter 5/8" - 18 UNF, 32-210 mm
2609390035	SDS-plus adapter 1/2"-20 UNF, 14-30 mm
2609390036	SDS-plus adapter 5/8" - 18 UNF, 32-210 mm
2609390588	Hex socket arbor guide bit 3/8" ,14mm-30mm



Screwdriver Bits



Extra Hard Bits For universal use

Torsion zone
Copes easily with
torque peaks.



REFERENCE	DESCRIPTION
2607001511	Screwdriver bit Extra Hard PH 2, 25 mm
2607001514	Screwdriver bit Extra Hard PH 2, 25 mm
2608522186	Screwdriver bit Extra Hard PH 2, 25 mm (tictac box)
2607002503	Screwdriver bit Extra Hard PH 2, 49 mm
2607001528	Screwdriver bit Extra Hard PH 2, 49 mm
2607001535	Screwdriver bit Extra Hard PH 2, 89 mm
2607001558	Screwdriver bit Extra Hard PZ 2, 25 mm
2607001561	Screwdriver bit Extra Hard PZ 2, 25 mm
2608522187	Screwdriver bit Extra Hard PZ 2, 25 mm (tictac box)
2607001575	Screwdriver bit Extra Hard PZ 1, 49 mm
2607001577	Screwdriver bit Extra Hard PZ 2, 49 mm
2607002506	Screwdriver bit Extra Hard PZ 2, 49 mm
2607001583	Screwdriver bit Extra Hard PZ 2, 89 mm
2607001738	Double ended bit S 1,0 x 5,5; PH2; 45 mm
2607001740	Double ended bit PH2; PH2; 45 mm
2608521039	10pcs double ended SDB set; PH2; 65 mm
2608521042	10pcs double ended SDB set; PH2; 65 mm (Gold)
2608521043	10pcs double ended SDB set; PH2; 110 mm (Gold)

Extra Hard Bits Screwdriver Bit Sets

REFERENCE	DESCRIPTION
2607002581	18+1-piece Robust Line screwdriver bit set L, Max Grip version 25 mm, 18+1-piece
2607017063	32pcs SDB set
2607017164	43-piece bit and nutsetter set
2607019503	25pcs SDB set (pencil)
2607019504	46 pcs Screw Driver Bit Set
2608522305	Socket SW 17 mm; M10; L 77 mm
2608522306	Socket SW 19 mm; M 12; L 77 mm
2608522308	Socket SW 21 mm; M 14; L 38 mm



NEW

Diamond Cutting Discs for Universal



REFERENCE	DESCRIPTION
2608615027	Diamond Cutting Disc ECO for Universal 115mm x 22.25mm
2608615030	Diamond Cutting Disc ECO for Universal 180mm x 22.25mm
2608615031	Diamond Cutting Disc ECO for Universal 230mm x 22.25mm
2608615032	Diamond Cutting Disc ECO for Universal 300mm x 20mm
2608615033	Diamond Cutting Disc ECO for Universal 300mm x 25.4mm
2608615034	Diamond Cutting Disc ECO for Universal 350mm x 20mm
2608615035	Diamond Cutting Disc ECO for Universal 350mm x 25.4mm



REFERENCE	DESCRIPTION
2608600923	Diamond cutting disc Professional for Universal 105 mm x 20,00 mm x 1,6 mm
2608615057	Diamond cutting disc Professional for Universal 115 mm x 22,23 mm x 1,6 mm
2608602192	Diamond cutting disc Professional for Universal 125 mm x 22,23 mm x 1,6 mm
2608602194	Diamond cutting disc Professional for Universal 180 mm x 22,23 mm x 2 mm
2608602195	Diamond cutting disc Professional for Universal 230 mm x 22,23 mm x 2,3 mm
2608602551	Diamond cutting disc Professional for Universal 450mm x 25,40 mm x 3,6 mm
2608615067	Diamond cutting disc Professional for Universal 300 mm x 22,23 mm x 3,1 mm
2608615070	Diamond cutting disc Professional for Universal 350 mm x 20,00 mm x 3,1 mm
2608615071	Diamond cutting disc Professional for Universal 350 mm x 25,40 mm x 3,1 mm
2608602393	Diamond cutting disc Professional for Universal Turbo 115 mm x 22,23 mm x 2 mm
2608602396	Diamond cutting disc Professional for Universal Turbo 180 mm x 22,23 mm x 2,5 mm
2608602397	Diamond cutting disc Professional for Universal Turbo 230 mm x 22,23 mm x 2,5 mm
2608602571	Diamond cutting disc Expert for Universal 350 mm x 20/25,40 mm x 3,2 mm
2608602572	Diamond cutting disc Expert for Universal 400 mm x 20/25,40 mm x 3,2 mm



Diamond Cutting Discs for Concrete

NEW



long LIFE
NEW
NEW

REFERENCE	DESCRIPTION
2608602196	Diamond cutting disc Professional for Concrete 115 mm x 22,23 mm x 1,6 mm
2608602198	Diamond cutting disc Professional for Concrete 150 mm x 22,23 mm x 2,0 mm
2608602199	Diamond cutting disc Professional for Concrete 180 mm x 22,23 mm x 2 mm
2608602200	Diamond cutting disc Professional for Concrete 230 mm x 22,23 mm x 2,3 mm
2608602544	Diamond cutting disc Professional for Concrete 350 mm x 20,00+25,40 mm x 2,8 mm
2608602545	Diamond cutting disc Professional for Concrete 400 mm x 20,00+25,40 mm x 3,2 mm
2608603313	Diamond grinding head Standard for Concrete Turbo 105 x 22.23 x 3 mm
2608601761	Diamond grinding head Expert for Concrete 115 x 22.23 x 4.5 mm x 18 segments
2608601762	Diamond grinding head Expert for Concrete 125 x 22.23 x 4.5 mm x 18 segments



Diamond Cutting Discs for Marble

REFERENCE	DESCRIPTION
2608602282	Diamond cutting disc Professional for Marble 115 mm x 22,23 mm x 2,2 mm
2608602283	Diamond cutting disc Professional for Marble 230 mm x 22,23 mm x 2,8 mm

Fibre-Sanding Discs

Expert for metal

REFERENCE	DESCRIPTION
2608608N99	Fibre-Sanding Disc, 115 mm, Expert for Metal P36
2608608P00	Fibre-Sanding Disc, 115 mm, Expert for Metal P60
2608608P01	Fibre-Sanding Disc, 115 mm, Expert for Metal P80
2608608P02	Fibre-Sanding Disc, 115 mm, Expert for Metal P100
2608608P12	Fibre-Sanding Disc, 180 mm, Expert for Metal P60
2608608P13	Fibre-Sanding Disc, 180 mm, Expert for Metal P80
2608601005	Backing pad 115 mm, 13 300 rpm
2608601209	Backing pad 180 mm, 8 500 rpm




Flap Discs

Standard for metal

- Powerful thanks to heated aluminium oxide
- Consistently high material removal rate and long lifetime
- For surface grinding and working on welded seams

REFERENCE	DESCRIPTION
2608601707	Flap disc, Standard for Metal 115 mm, 22.23 mm, G40
2608601708	Flap disc, Standard for Metal 115 mm, 22.23 mm, G60
2608601709	Flap disc, Standard for Metal 115 mm, 22.23 mm, G80
2608601710	Flap disc, Standard for Metal 115 mm, 22.23 mm, G120



Sanding Belts

REFERENCE	DESCRIPTION
2608606082	Sanding belts BfWP, 75 x 533 mm, 80 Grit – 10pcs/pkt
2608606083	Sanding belts BfWP, 75 x 533 mm, 150 Grit – 10pcs/pkt
2608607261	Sanding belts BfWP, 75 x 533 mm, 180 Grit – 10pcs/pkt
2608606085	Sanding belts BfWP, 75 x 533 mm, 220 Grit – 10pcs/pkt
2608606135	Sanding belts BfWP, 100 x 610 mm, 60 Grit – 10pcs/pkt
2608606136	Sanding belts BfWP, 100 x 610 mm, 80 Grit – 10pcs/pkt
2608606137	Sanding belts BfWP, 100 x 610 mm, 100 Grit – 10pcs/pkt
2608607263	Sanding belts BfWP, 100 x 610 mm, 120 Grit – 10pcs/pkt



Sanding Rolls

REFERENCE	DESCRIPTION
2608621482	J450 Cloth hand sanding roll Grit 60 115mm x 50m
2608621483	J450 Cloth hand sanding roll Grit 80 115mm x 50m
2608621484	J450 Cloth hand sanding roll Grit 100 115mm x 50m
2608621485	J450 Cloth hand sanding roll Grit 120 115mm x 50m



Sanding Sheets & Blocks

REFERENCE	DESCRIPTION
2608621252	Standard block 3 pcs (super fine, fine, medium - profile)
2608608223	Standard block Fine (profile)
2608608225	Standard block Medium (flat & edge)
2608608228	Standard block Super Fine (flat & edge)
2608605067	Sanding Sheet BfWP 125mm, G40, 8 holes (5pcs)
2608605068	Sanding Sheet BfWP 125mm, G60, 8 holes (5pcs)
2608605069	Sanding Sheet BfWP 125mm, G80, 8 holes (5pcs)
2608605071	Sanding Sheet BfWP 125mm, G120, 8 holes (5pcs)

NEW



Clamped Sanding Sheets (Expert)

REFERENCE	DESCRIPTION
2608605294	Clamped Sanding sheet Expert for Wood 93 x 230, G40
2608605295	Clamped Sanding sheet Expert for Wood 93 x 230, G60
2608605296	Clamped Sanding sheet Expert for Wood 93 x 230, G80
2608605298	Clamped Sanding sheet Expert for Wood 93 x 230, G120

Hook & Loop Sanding Sheets (Expert)

REFERENCE	DESCRIPTION
2608605584	Hook & Loop Sanding sheet Expert for Wood 115mm x 230mm, G40mm
2608605316	Hook & Loop Sanding sheet Expert for Wood 115mm x 230mm, G60mm
2608605317	Hook & Loop Sanding sheet Expert for Wood 115mm x 230mm , G80mm
2608605318	Hook & Loop Sanding sheet Expert for Wood 115mm x 230mm, G120mm

Bonded Abrasives (Standard)



REFERENCE	DESCRIPTION
2608603159	Standard for Metal cutting disc with depressed centre, 115 mm, 22.23 mm, 2,5 mm
2608603160	Standard for Metal cutting disc with depressed centre, 125 mm, 22.23mm, 2,5 mm
2608603161	Standard for Metal cutting disc with depressed centre, 180 mm, 22,23 mm, 3,0 mm
2608603162	Standard for Metal cutting disc with depressed centre, 230 mm, 22,23 mm, 3,0 mm
2608603181	Standard for Metal grinding disc with depressed centre, 115 mm, 22,23 mm, 6,0 mm
2608603182	Standard for Metal grinding disc with depressed centre, 125 mm, 22,23 mm, 6,0 mm
2608603183	Standard for Metal grinding disc with depressed centre, 180 mm, 22,23 mm, 6,0 mm
2608603184	Standard for Metal grinding disc with depressed centre, 230 mm, 22,23 mm, 6,0 mm
2608602759	Standard for Metal straight cutting disc, 355 mm, 25,40 mm, 3,1 mm
2608603169	Standard for INOX straight cutting disc, 115 mm x 1,0 mm x 22,23 mm

Bonded Abrasives



REFERENCE	DESCRIPTION
2608600005	Expert for Metal cutting disc with depressed centre, 115 mm, 22,23 mm, 2,5 mm
2608600316	Expert for Metal cutting disc with depressed centre, 180 mm, 22,23 mm, 3,0 mm
2608600226	Expert for Metal cutting disc with depressed centre, 230 mm, 22,23 mm, 3,0 mm
2608600218	Expert for Metal grinding disc with depressed centre, 115 mm, 22,23 mm, 6,0 mm
2608600315	Expert for Metal grinding disc with depressed centre, 180 mm, 22,23 mm, 6,0 mm
2608600228	Expert for Metal grinding disc with depressed centre, 230 mm, 22,23 mm, 6,0 mm
2608600542	Expert for Metal straight cutting disc, 300 mm, 25,40 mm, 2,8 mm
2608600543	Expert for Metal straight cutting disc, 350 mm, 25,40 mm, 2,8 mm
2608600545	Expert for INOX straight cutting disc, 115 mm, 22.23 mm, 1,0 mm
2608600549	Expert for INOX straight cutting disc, 125 mm, 22.23 mm, 1,0 mm
2608600710	Expert for INOX straight cutting disc, 180 mm, 22.23 mm, 1,6 mm
2608603407	Expert for INOX straight cutting disc, 230 mm, 22.23 mm, 1,9 mm
2608600096	Expert for INOX straight cutting disc, 230 mm, 22.23 mm, 2,0 mm

REFERENCE	DESCRIPTION
1609201649	Grinding wheel for double-wheeled bench grinder 150 mm, 20 mm, 24
2608600111	Grinding wheel for double-wheeled bench grinder 200 mm, 32 mm, 36

REFERENCE	DESCRIPTION
2608630030	Jigsaw blade T 101 B Clean for Wood (5pcs)
2608630032	Jigsaw blade T 101 D Clean for Wood (5pcs)
2608630033	Jigsaw blade T 111 C Basic for Wood (5pcs)
2608631013	Jigsaw blade T 118 A Basic for Metal (5pcs)
2608631964	Jigsaw blade T 118 A Basic for Metal (100pcs)
2608631017	Jigsaw blade T 127 D Special for Alu (5pcs)
2608630040	Jigsaw blade T 144 D Speed for Wood (5pcs)
2608637880	Jigsaw blade T 144 D Speed for Wood (100pcs)
2608630058	Jigsaw blade T 244 D Speed for Wood (5pcs)
2608637881	Jigsaw blade T 244 D Speed for Wood (100pcs)
2608637590	Jigsaw blade T 301 CD Clean for Wood (5pcs)
2608631319	Jigsaw blade T 318 A Basic for Metal (5pcs)
2608637944	Jigsaw blade T 344 D Speed for Wood (5pcs)
2608634994	Jigsaw blade T 345 XF Progressor for Wood and Metal (5pcs)
2608667394	Jigsaw blade T 1044 DP Precision for Wood

Jigsaw Blades



Sabre Saw Blades

Flexible for metal

REFERENCE	DESCRIPTION
2608656041	Sabre saw blade S 1122 BF Flexible for Metal
2608654405	Sabre saw blade S 3456 XF Progressor for Wood and Metal
2608654403	Sabre saw blade S 2345 X Progressor for Wood
2608653131	S 957 CHM 150 mm x 20 mm x 1,35 mm sabre rescue blades(10pcs)
2608653133	S 1157 CHM 225 mm x 20 mm x 1,35 mm sabre rescue blades(10pcs)



Circular Saw Blades (Eco)

REFERENCE	DESCRIPTION
2608644399	Circular saw blade ECO for Wood 184x2.2/1.4x20 40T
2608644400	Circular saw blade ECO for Wood 184x2.2/1.4x20 60T
2608644404	Circular saw blade ECO for Wood 235x2.8/1.8x30 40T
2608644405	Circular saw blade ECO for Wood 235x2.8/1.8x30 60T
2608644407	Circular saw blade ECO for Wood 254x3.0/2.0x30 60T
2608644411	Circular saw blade ECO for Aluminium 184x2.2/1.4x20 60T
2608644412	Circular saw blade ECO for Aluminium 254x3.0/2.2x30 96T
2608644414	Circular saw blade ECO for Aluminium 305x3.2/2.2x30 80T

NEW



Circular Saw Blades




Circular Saw Blades

REFERENCE	DESCRIPTION
2608641172	Optiline Wood circular saw blade 160 x 20/16 x 1,8 mm, 48T
2608640853	Circular saw blade Optiline Wood, 184 mm x 20 mm x 2,5 mm, 40T
2608640854	Circular saw blade Optiline Wood, 184 mm x 20 mm x 2,5 mm, 60T
2608640894	Circular saw blade Optiline Wood, 235 mm x 35 mm x 2,5 mm, 40T
2608640895	Circular saw blade Optiline Wood, 235 mm x 35 mm x 2,5 mm, 60T
2608640908	Circular saw blade Optiline Wood, 254 mm x 30 mm x 2,5 mm, 60T
2608640807	Circular saw blade Speedline Wood, 235 mm x 30/25 mm x 2,6 mm, 30T
2608640503	Multi Material circular saw blade 160 x 20/16 x 2,4 mm; 42T
2608642193	Circular saw blade Multi Material, 184 mm x 20 mm x 2,0 mm, T60
2608642197	Circular saw blade Multi Material, 235 mm x 25 mm x 2,0 mm, T80
2608640509	Circular saw blade Multi Material, 190 mm x 30 mm x 2,4mm, 54T
2608640514	Circular saw blade Multi Material, 235 mm x 30/25 mm x 2,4 mm, 64T
2608640451	Circular saw blade Multi Material, 254 mm x 30 mm x 3,2 mm, 96T
2608642202	Circular saw blade Multi Material, 254 mm x 30 mm x 3,2 mm, 100T
2608642208	Circular saw blade Multi Material, 305 mm x 30 mm x 2,7 mm, 80T
2608640452	Circular saw blade Multi Material, 305 mm x 30 mm x 3,2 mm, 80T
2608640453	Circular saw blade Multi Material, 305 mm x 30 mm x 3,2 mm, 96T
2608642209	Circular saw blade Multi Material, 305 mm x 30 mm x 3,2 mm, 100T
2608642210	Circular saw blade Multi Material, 305 mm x 30 mm x 3,2 mm, 120T
2608642114	Circular saw blade Best for Wood, 300 mm x 30 mm x 3,2 mm, 48T



Circular Saw Blades (Expert)

REFERENCE	DESCRIPTION
2608642508	Circular saw blade Expert for Wood, 300 mm x 30 mm x 3,2 mm, 48T
2608642529	Circular saw blade Expert for Multi Material, 305 mm x 30 mm x 2,4 mm, 96T
2608643060	Circular saw blade Expert for Steel 305 mm x 25,4 mm x 2,6 mm, 60T
2608644115	Circular saw blade Expert for Aluminium 305 mm x 30 mm x 2,8 mm, 96T



Multi-Cutter Accessories

REFERENCE	DESCRIPTION
2608661636	BIM segment saw blade ACZ 85 EB Wood and Metal 85 mm
2608661781	BIM plunge cut saw blade AII 65 APB Wood and Metal 40 x 65 mm
2608661644	BIM plunge cut saw blade AIZ 32 APB Wood and Metal 50 x 32 mm
2608661645	BIM plunge cut saw blade AIZ 32 BSPB Hard Wood 50 x 32 mm
2608661637	HCS plunge cut saw blade AIZ 32 EPC Wood 50 x 32 mm
2608661647	HCS scraper ATZ 52 SFC, flexible 52 x 38 mm
2608662018	Carbide plunge cut saw blade AIZ 32 AT Metal 40 x 32 mm
2608661642	Carbide-RIFF segment saw blade ACZ 85 RT3 85 mm
2608000493	Starlock sanding plate AVZ 93 G 93 mm
2608605165	C470 sanding sheet, pack of 6 93 mm, 60; 120; 240
2608661696	Set: Acz 85 Eb (1x); Aiz 32 Bspb (1x); Aiz 32 Epc (1x); Atz 52 Sc (1x)



Routing 6mm

REFERENCE	DESCRIPTION
2608628448	Chamfer bit 6 mm, B 11 mm, L 15 mm, G 56 mm, 45°
2608628460	Core box bit 6 mm, R1 3 mm, D 6 mm, L 9,2 mm, G 40 mm
2608628451	Core box bit 6 mm, R1 5 mm, D 10 mm, L 9,2 mm, G 40 mm
2608628450	Core box bit 6 mm, R1 6 mm, D 13 mm, L 9,2 mm, G 40 mm
2608628455	Core box bit 6 mm, R1 6 mm, D 25 mm, L 12,7 mm, G 54 mm
2608628452	Core box bit 6 mm, R1 8 mm, D 16 mm, L 12,4 mm, G 45 mm
2608628453	Core box bit 6 mm, R1 13 mm, D 25 mm, L 15,6 mm, G 49 mm
2608628461	Flush trim bit 6 mm, D 6 mm, L 16,2 mm, G 54 mm
2608628462	Flush trim bit 6 mm, D 10 mm, L 12,7 mm, G 56 mm
2608628463	Flush trim bit 6 mm, D 13 mm, L 12,7 mm, G 56 mm
2608628459	Ovolo bit profile cutters 6mm D25,4mm, L12,4mm, G46
2608628449	Rabbeting bit 6mm D25,4mm, L12,4mm, G54mm
2608628438	Straight bit 6 mm, D1 3 mm, L 7,7 mm, G 51 mm
2608628439	Straight bit 6 mm, D1 5 mm, L 12,4 mm, G 51 mm
2608628440	Straight bit 6 mm, D1 6 mm, L 15,7 mm, G 48 mm
2608628441	Straight bit 6 mm, D1 8 mm, L 19,6 mm, G 51 mm
2608628442	Straight bit 6 mm, D1 10 mm, L 19,6 mm, G 51 mm
2608628443	Straight bit 6 mm, D1 13 mm, L 19,6 mm, G 51 mm
2608628444	Straight bit 6 mm, D1 19 mm, L 19,5 mm, G 51 mm
2608628454	Roman ogee bit 6 mm, R1 4,1 mm, D 29 mm, L 12,4 mm, G 54 mm
2608628445	V-groove bit 6 mm, D1 6 mm, L 9,2 mm, G 45 mm, 90°
2608628446	V-groove bit 6 mm, D1 10 mm, L 12,4 mm, G 45 mm, 90°
2608628447	V-groove bit 6 mm, D1 13 mm, L 12,7 mm, G 45 mm, 90°
2607019464	6pcs router bit set (6mm)




Routing 8mm

REFERENCE	DESCRIPTION
2608628340	Roundover bits 8 mm, R1 6 mm, L 13,2 mm, G 53 mm
2608628343	Roundover bits 8 mm, R1 12 mm, L 19 mm, G 60 mm
2608628346	Laminate trim bits 8 mm, D1 9,5 mm, L 25,4 mm, G 68 mm
2608628347	Laminate trim bits 8 mm, D1 12,7 mm, L 13 mm, G 56 mm
2608628348	Laminate trim bits 8 mm, D1 12,7 mm, L 25,4 mm, G 68 mm
2608628352	Chamfer bit 8 mm, B 11 mm, L 15 mm, G 56 mm, 45°
2608628368	Core box bits 8 mm, R1 6 mm, D 12 mm, L 9,2 mm, G 40 mm
2608628372	Straight bits 8 mm, D1 8 mm, L 25,4 mm, G 56 mm
2608628373	Straight bits 8 mm, D1 10 mm, L 25,4 mm, G 56 mm
2608628374	Straight bits 8 mm, D1 12 mm, L 32 mm, G 62 mm
2608628375	Straight bits 8 mm, D1 14 mm, L 20 mm, G 51 mm
2608628376	Straight bits 8 mm, D1 3 mm, L 8 mm, G 51 mm
2608628377	Straight bits 8 mm, D1 4 mm, L 8 mm, G 51 mm
2608628378	Straight bits 8 mm, D1 5 mm, L 12,7 mm, G 51 mm
2608628379	Straight bits 8 mm, D1 6 mm, L 16 mm, G 48 mm
2608628381	Straight bits 8 mm, D1 8 mm, L 20 mm, G 51 mm
2608628383	Straight bits 8 mm, D1 10 mm, L 20 mm, G 51 mm
2608628385	Straight bits 8 mm, D1 12 mm, L 20 mm, G 51 mm
2608628387	Straight bits 8 mm, D1 15 mm, L 20 mm, G 51 mm
2608628388	Straight bits 8 mm, D1 16 mm, L 20 mm, G 51 mm
2608628389	Straight bits 8 mm, D1 18 mm, L 25 mm, G 56 mm
2608628390	Straight bits 8 mm, D1 20 mm, L 25 mm, G 56 mm
2608628392	Straight bits 8 mm, D1 25 mm, L 20 mm, G 51 mm
2608628393	Edge forming bits A 8 mm, R1 4,8 mm, B 11 mm, L 14,3 mm, G 57 mm
2608628395	Edge forming bit B 8 mm, R1 6,3 mm, B 12,7 mm, L 17 mm, G 61 mm
2608628396	Edge forming bits C 8 mm, R1 4,8 mm, B 9,5 mm, L 14 mm, G 57 mm
2608628397	Edge forming bit D 8 mm, R1 6,3 mm, B 15 mm, L 18 mm, G 60 mm
2608628403	Slotting cutters 8 mm, D1 32 mm, L 5 mm, G 51 mm
2608628406	V-groove bits 8 mm, D1 11 mm, L 14 mm, G 45 mm, 60°
2608628407	V-groove bits 8 mm, D1 16 mm, L 16 mm, G 45 mm, 90°
2607019469	15pcs router bit set (8mm)



Others



REFERENCE	DESCRIPTION
2607000745	Fixing Set (Brick) 20 mm
2608002000	Fixing Set (Concrete) 16 mm
2608002001	Wall plugs 50 pcs Set (Concrete) 16 mm
1608571048	Keyed chucks up to 13 mm 1.5-13 mm, 1/2"-20
1608571062	Keyed chucks up to 13 mm 1.5-13 mm, 1/2"-20
1608571056	Keyed chucks up to 16 mm 3 - 16 mm, 5/8"-16
1608571056	Keyed chucks up to 16 mm 3-16 mm, 5/8"-16
2608572212	Keyless chuck with adapter 1.5 - 13 mm, SDS-plus
2608572213	SDS-plus keyless chuck SDS-plus
1618598159	Drill bit adapters for drill bits SDS-max, SDS-plus
2605411150	Paper filter bags
1610795007	Transport cart for USH/ GSH 27
2607000096	Planer blades
2607000193	Planer blades
1608614002	Wire cup brush 100 mm, 0,8 mm, M14
1608614011	Wire cup brush 100 mm, 0,5 mm, M14
3600320014	Reduction sleeve
1603115004	Morse taper
2608570107	Collet/nut 12mm for GOF 1600 CE
2608661696	Floor/installation set ACZ 85 EB
2608612026	Lambskin disc 170 mm
F000600494	GVC 22 EX - Hose 35mm x 1.5m (GVC 22 EX)
F000600390	GVC 22 EX - Hose 35mm x 3.5m (GVC 22 EX)

Hand Sanding Sheets

REFERENCE	DESCRIPTION
2608621527	280 x 230 mm G60 (100Pcs)
2608621528	280 x 230 mm G80 (100Pcs)
2608621529	280 x 230 mm G100 (100Pcs)
2608621530	280 x 230 mm G120 (100Pcs)
2608621531	280 x 230 mm G150 (100Pcs)
2608621532	280 x 230 mm G180 (100Pcs)
2608621533	280 x 230 mm G220 (100Pcs)
2608621534	280 x 230 mm G240 (100Pcs)
2608621535	280 x 230 mm G320 (100Pcs)
2608621536	280 x 230 mm G400 (100Pcs)
2608621537	280 x 230 mm G500 (100Pcs)
2608621538	280 x 230 mm G600 (100Pcs)
2608621539	280 x 230 mm G800 (100Pcs)
2608621540	280 x 230 mm G1000 (100Pcs)
2608621541	280 x 230 mm G1200 (100Pcs)
2608621542	280 x 230 mm G1500 (100Pcs)
2608621543	280 x 230 mm G2000 (100Pcs)
2608621544	280 x 230 mm G2500 (100Pcs)



What makes us the best in the industry

Extensive range of unprecedented quality products and services in Tanzania


Our team and experience

Excellent customer service

Professionalism

Our undisputed legacy of growing brands in the Tanzanian market

Honesty and integrity





Showroom & Service Center in Kamata NOW OPEN

Scan here for directions



At Kamata and Msimbazi Junction, Dar es Salaam

☎ 0800 110 161

🌐 www.nts-bosch.co.tz

📷 @ntsbosch